




T2 RADIAL CUTTER

Cutting and crimping machine for loose radial components with **2,3 or 4 parallel leads**

The T2-cutter for cutting and crimping loose radial components with 2,3 or 4 parallel leads. The multiple possibilities of application, its sturdy design, and very economical for small and medium series makes the T-Cutter, an indispensable cutting and bending device for any kind of utilization.

SAMPLE COMPONENTS



Advantages of the T2-cutter

- 100% stress-free processing
- Multiple processing of components with 2, 3, or 4 parallel leads
- Cutting and bending (or cutting only) of the lead
- Crimping depth adjustable 0-2.5mm
- The components are formed to fit the required pitch
- Fast tool change if needed
- Simple adjustments, can also be done by unskilled workers

Type	No.	Tools	Processing type I			Processing type II				
T	1153			B	1.8 / 3.5 / 5.0	mm				
			D	1.25 - 12.9	mm	Lead			0 - 1.0	mm
	1155			A	0 - 1.8	mm				
			B	1.8 / 3.5 / 5.0	mm	C				
L	1163			D	2.9 - 12.9	mm				
				Lead	0 - 1.0	mm				
	1161			A	0 - 1.65	mm				
				B	5.0 / 7.5 / 10.0 / 15.0 / 17.5 / 20.0 22.5 / 25.0 / 30.0 / 32.5 / 37.5 42.5 / 47.5 / 52.5 mm				B	7.5 / 15.0
		C	min 4.0	mm	C	min 4.0			mm	
		D	2.9 - 12.9	mm	D	2.9 - 12.9			mm	
			Lead	0 - 1.0	mm	Lead	0 - 0.8	mm		



TEL: +41 (32) 653 88 11 ♦ FAX: +41 (32) 653 88 13 ♦ email: info@polyver.com ♦ internet: www.polyver.com
Bischmattstrasse 11a ♦ 2544 Bettlach ♦ Schweiz – Switzerland

